

Straight Line Graphs


A LEVEL LINKS

Scheme of work: Ch1-5. Straight-line graphs, parallel/perpendicular, length and area problems

Key points

- A straight line has the equation y = mx + c, where m is the gradient and c is the y-intercept (where x = 0).
- The equation of a straight line can be written in the form ax + by + c = 0, where a, b and c are integers.
- When given the coordinates (x_1, y_1) and (x_2, y_2) of two points on a line the gradient is calculated using the

formula
$$m = \frac{y_2 - y_1}{x_2 - x_1}$$



Examples

A straight line has gradient $-\frac{1}{2}$ and y-intercept 3. Example 1

Write the equation of the line in the form ax + by + c = 0.

$$m = -\frac{1}{2}$$
 and $c = 3$
So $y = -\frac{1}{2}x + 3$

$$\frac{1}{2}x + y - 3 = 0$$

$$x + 2y - 6 = 0$$

- 1 A straight line has equation y = mx + c. Substitute the gradient and y-intercept given in the question into this equation.
- 2 Rearrange the equation so all the terms are on one side and 0 is on the other side.
- 3 Multiply both sides by 2 to eliminate the denominator.

Example 2 Find the gradient and the y-intercept of the line with the equation 3y - 2x + 4 = 0.

$$3y - 2x + 4 = 0$$

$$3y = 2x - 4$$

$$y = \frac{2}{3}x - \frac{4}{3}$$
Gradient = $m = \frac{2}{3}$

Gradient =
$$m = \frac{2}{3}$$

y-intercept =
$$c = -\frac{4}{3}$$

- 1 Make y the subject of the equation.
- 2 Divide all the terms by three to get the equation in the form y = ...
- 3 In the form y = mx + c, the gradient is m and the y-intercept is c.





y = 3x - 2

Example 3 Find the equation of the line which passes through the point (5, 13) and has gradient 3.

4 Substitute
$$c = -2$$
 into the equation $y = 3x + c$

Example 4 Find the equation of the line passing through the points with coordinates (2, 4) and (8, 7).

$$x_1 = 2, x_2 = 8, y_1 = 4 \text{ and } y_2 = 7$$

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{7 - 4}{8 - 2} = \frac{3}{6} = \frac{1}{2}$$

$$y = \frac{1}{2}x + c$$

$$4 = \frac{1}{2} \times 2 + c$$

$$c = 3$$

$$y = \frac{1}{2}x + 3$$
1 Substitute the coordinates into the equation $m = \frac{y_2 - y_1}{x_2 - x_1}$ to work out the gradient of the line.
2 Substitute the gradient into the equation of a straight line $y = mx + c$.
3 Substitute the coordinates of either point into the equation.
4 Simplify and solve the equation.
5 Substitute $c = 3$ into the equation $y = \frac{1}{2}x + c$

Practice

Find the gradient and the *y*-intercept of the following equations.

a
$$y = 3x + 5$$
 b $y = -\frac{1}{2}x - 7$

$$2y = 4x - 3$$
 d $x + y = 5$

c
$$2y = 4x - 3$$
 d $x + y = 5$ **Hint** Rearrange the equations to the form $y = mx + c$

Copy and complete the table, giving the equation of the line in the form y = mx + c.

Gradient	y-intercept	Equation of the line
5	0	
-3	2	
4	-7	





3 Find, in the form ax + by + c = 0 where a, b and c are integers, an equation for each of the lines with the following gradients and y-intercepts.

a gradient
$$-\frac{1}{2}$$
, y-intercept -7 **b** gradient 2, y-intercept 0

c gradient
$$\frac{2}{3}$$
, y-intercept 4

gradient
$$\frac{2}{3}$$
, y-intercept 4 **d** gradient -1.2, y-intercept -2

Write an equation for the line which passes though the point (2, 5) and has gradient 4. 4

Write an equation for the line which passes through the point (6, 3) and has gradient $-\frac{2}{3}$ 5

6 Write an equation for the line passing through each of the following pairs of points.

$$\mathbf{c}$$
 (-1, -7), (5, 23)

Extend

The equation of a line is 2y + 3x - 6 = 0. Write as much information as possible about this line.





Answers

1 **a**
$$m = 3, c = 5$$

a
$$m = 3, c = 5$$
 b $m = -\frac{1}{2}, c = -7$

c
$$m = 2, c = -\frac{3}{2}$$
 d $m = -1, c = 5$

d
$$m = -1, c = 5$$

e
$$m = \frac{2}{3}$$
, $c = -\frac{7}{3}$ or $-2\frac{1}{3}$ f $m = -5$, $c = 4$

f
$$m = -5, c = 4$$

2

Gradient	y-intercept	Equation of the line
5	0	y = 5x
-3	2	y = -3x + 2
4	-7	y = 4x - 7

3 a
$$x + 2y + 14 = 0$$
 b $2x - y = 0$

$$\mathbf{b} \qquad 2x - y = 0$$

c
$$2x - 3y + 12 = 0$$
 d $6x + 5y + 10 = 0$

$$6x + 5y + 10 = 0$$

4
$$y = 4x - 3$$

5
$$y = -\frac{2}{3}x + 7$$

6 a
$$y = 2x - 3$$

6 a
$$y = 2x - 3$$
 b $y = -\frac{1}{2}x + 6$

$$\mathbf{c} \quad \mathbf{v} = 5x - 2$$

c
$$y = 5x - 2$$
 d $y = -3x + 19$

7
$$y = -\frac{3}{2}x + 3$$
, the gradient is $-\frac{3}{2}$ and the y-intercept is 3.

The line intercepts the axes at (0, 3) and (2, 0).

Students may sketch the line or give coordinates that lie on the line such as $\left(1, \frac{3}{2}\right)$ or $\left(4, -3\right)$.